

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	9	2003/0230898	US-PGPUB; USPAT	ADJ	ON	2009/05/07 07:41
L5	1	"20030230898".PN.	US-PGPUB	ADJ	ON	2009/05/07 07:42
L6	53	(US-20080213083-\$ or US-20070177970-\$ or US-20070189889-\$ or US-20050253396-\$ or US-20050285406-\$ or US-20030091436-\$ or US-20090092490-\$ or US-20080121752-\$ or US-20030223868-\$ or US-20060140764-\$ or US-20040041405-\$).did. or (US-7258527-\$ or US-4247253-\$ or US-5503525-\$ or US-4415312-\$ or US-4082479-\$ or US-4504192-\$ or US-4247252-\$ or US-4435646-\$ or US-4410806-\$ or US-7419356-\$ or US-4715782-\$ or US-5269652-\$ or US-7293959-\$ or US-7204674-\$ or US-6682302-\$ or US-5570997-\$ or US-5570859-\$ or US-5320491-\$ or US-3874816-\$ or US-6644919-\$ or US-6474945-\$ or US-5639215-\$ or US-5096378-\$ or US-3812812-\$ or US-2625997-\$ or US-2443808-\$).did. or (US-4764090-\$ or US-4355955-\$ or US-6752595-\$ or US-4565929-\$ or US-5193978-\$ or US-4204805-\$ or US-4115032-\$).did. or (US-2616509-\$ or US-3451644-\$ or US-2476002-\$).did. or (JP-2006258083-\$).did. or (US-4764090-\$ or DE-4434764-\$ or SU-1281740-\$ or DE-3434050-\$ or US-4082479-\$).did.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	ADJ	ON	2009/05/07 07:43
L9	37	6 and control	US-PGPUB; USPAT	ADJ	ON	2009/05/07 07:44

L12	3	("416".clas. or "290".clas.) and wind turbine with control and (tip (speed or velocity) or circumferen\$4 (speed or velocity)) with (setpoint or set\$point or set point or lower limit or prescribed or cut\$in or cutin or cut in or cut out or cut\$out or cut out)	US-PGPUB; USPAT	ADJ	ON	2009/05/07 07:56
L13	6	wind turbine same control and (tip (speed or velocity) or circumferen\$4 (speed or velocity)) with (setpoint or set\$point or set point or lower limit or prescribed or cut\$in or cutin or cut in or cut out or cut\$out or cut out)	US-PGPUB; USPAT	ADJ	ON	2009/05/07 08:03
L14	18	wind turbine same control and (tip (speed or velocity) or circumferen\$4 (speed or velocity)) same (setpoint or set\$point or set point or lower limit or prescribed or cut\$in or cutin or cut in or cut out or cut\$out or cut out)	US-PGPUB; USPAT	ADJ	ON	2009/05/07 08:24
L15	15385	yokoi.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 11:12
L16	10	yokoi.in. and wind turbine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 11:12
S1	284	(415/4.2).OCLS.	US-PGPUB; USPAT	OR	OFF	2009/04/27 10:34
S2	1	("4247253").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/27 11:18
S3	175	(415/4.4).OCLS.	US-PGPUB; USPAT	OR	OFF	2009/04/27 11:26
S4	116	415/4.4 NOT S1	US-PGPUB; USPAT	ADJ	ON	2009/04/27 11:27
S5	117	415/4.4.ccls. NOT S1	US-PGPUB; USPAT	ADJ	ON	2009/04/27 11:27
S6	32	("1835018" "4082479").PN. OR ("4247253").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/27 13:31

S7	26	("1786057" "2076520" "2148921" "3038543" "3348806" "3812812" "3918839").PN. OR ("4082479").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/27 13:51
S8	0	290/44,54,55.ccls NOT S3 NOT S5	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/27 14:01
S9	2719	290/44,54,55.ccls. NOT S3 NOT S5	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/27 14:01
S10	567	290/44,54,55.ccls. NOT S3 NOT S5 and control with (rotation or revolution or wind speed or tip speed or ratio)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/27 14:02
S11	11	290/44,54,55.ccls. NOT S3 NOT S5 and control with (rotation or revolution or wind speed or tip speed or ratio) and (starting torque)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/27 14:04
S12	33	290/44,54,55.ccls. NOT S3 NOT S5 and control with (rotation or revolution or wind speed or tip speed or ratio) and (start\$3 or brak \$3) near torque	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/27 14:07
S13	508	290/44,54,55.ccls. NOT S1 NOT S5 and control SAME (rotation or revolution or wind speed or tip speed) and (start\$3 or brak\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/27 14:14
S14	211	290/44,54,55.ccls. NOT S1 NOT S5 and control SAME (rotation or revolution or wind speed or tip speed) and (start\$3 or brak\$3) and (measur\$3 or determin \$3 or resolv\$3) and (actuator or transducer or automat\$5)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/27 14:20
S15	285	416/23.ccls. NOT S1 NOT S5	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/27 14:51
S16	0	("2003/0091436").URPN.	USPAT	ADJ	ON	2009/04/27 15:14
S17	1	("4715782").PN. OR ("7419356").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/27 15:18

S18	37	("2058500" "2074149" "2216416" "2398713" "2545684" "2613072" "2949159" "2964111" "2986222" "4082479" "4180372" "4274807" "4297076" "4352634" "4355955" "4372732" "4374631" "4500257" "4557666" "4575309"). PN. OR ("4715782"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/27 15:20
S19	36	("1403069" "2400388" "2428936" "2442783" "2453403" "2616509" "2622686" "3184187" "3463420" "3874816" "3987984" "4247253" "4274011" "4498017" "4613760" "4692095" "5096378" "5320491" "5527151" "5570859" "5570997" "6015115" "6133716" "6420795" "6465902" "6523781" "6682302").PN. OR ("7204674").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/04 16:32
S20	100664	Vertical near3 (axis or shaft) or darrieus or giromill or savonious or savonious	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 09:09
S21	20724	Wind near3 (turbine or rotor or power unit or blade or energy converter or generator or farm) or aerogenerator	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 09:09
S22	110426	Wind receiving (plate or surface) or spoiler or feather or flap	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 09:09
S23	2984699	(pivot or hinge or swivel or open or close or spring or actuator)	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 09:09
S24	38417	(control or measure) with (rpm or rotational speed or wind speed or revolution or circumferential velocity or tip speed)	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 09:10
S25	1	S20 and S21 and S22 and S23 and S24	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 09:10

S26	60	S20 and S21 and S22 and S23	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 09:12
S27	293348	Vertical near3 (axis or shaft) or darrieus or giromill or savonious or savonious	US-PGPUB; USPAT	ADJ	ON	2009/05/05 09:19
S28	8773	Wind near3 (turbine or rotor or power unit or blade or energy converter or generator or farm) or aerogenerator	US-PGPUB; USPAT	ADJ	ON	2009/05/05 09:19
S29	147020	Wind receiving (plate or surface) or spoiler or feather or flap	US-PGPUB; USPAT	ADJ	ON	2009/05/05 09:19
S30	3575652	(pivot or hinge or swivel or open or close or spring or actuator)	US-PGPUB; USPAT	ADJ	ON	2009/05/05 09:20
S31	71360	(control or measure) with (rpm or rotational speed or wind speed or revolution or circumferential velocity or tip speed)	US-PGPUB; USPAT	ADJ	ON	2009/05/05 09:20
S32	106	S27 and S28 and S29 and S30 and S31	US-PGPUB; USPAT	ADJ	ON	2009/05/05 09:20
S33	284	(415/4.2).OCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/05 09:48
S34	117	415/4.4.ccls. NOT S33	US-PGPUB; USPAT	ADJ	ON	2009/05/05 09:48
S35	285	416/23.ccls. NOT S33 NOT S34	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/05 09:48
S36	209	416/87.ccls. NOT S35 NOT S33 NOT S34	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/05 09:48
S43	50	(US-20080213083-\$ or US-20070224029-\$ or US-20070177970-\$ or US-20070189889-\$ or US-20050253396-\$ or US-20050285406-\$ or US-20030091436-\$ or US-20080226448-\$ or US-20090092490-\$ or US-20080121752-\$ or US-20030223868-\$).did. or (US-7258527-\$ or US-4247253-\$ or US-5518367-\$ or US-5503525-\$ or US-4415312-\$ or US-4082479-\$ or US-4504192-\$ or US-4247252-\$ or US-4435646-\$ or US-4410806-\$ or US-	US-PGPUB; USPAT; USOCR; JPO; DERWENT	ADJ	ON	2009/05/05 10:01

		7419356-\$ or US-4715782-\$ or US-5269652-\$ or US-7293959-\$ or US-7204674-\$ or US-6682302-\$ or US-5570997-\$ or US-5570859-\$ or US-5320491-\$ or US-3874816-\$ or US-6644919-\$ or US-6474945-\$ or US-5639215-\$ or US-5096378-\$ or US-3812812-\$ or US-2625997-\$).did. or (US-2443808-\$ or US-4764090-\$ or US-4355955-\$ or US-6752595-\$).did. or (US-2616509-\$ or US-3451644-\$ or US-2476002-\$).did. or (JP-2006258083-\$).did. or (US-4764090-\$ or DE-4434764-\$ or SU-1281740-\$ or DE-3434050-\$ or US-4082479-\$).did.				
S44	20	S43 and wind (speed or velocity) same (control or measure)	US-PGPUB; USPAT; USOCR; JPO; DERWENT	ADJ	ON	2009/05/05 10:02
S45	2	"4,264,279".pn.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	ADJ	ON	2009/05/05 10:20
S46	24	("1835018" "4052134" "4082479" "4105363" "4137009" "4142822" "4180367" "4247252" "4247253" "4248568" "4255085" "4264279" "4285636" "4293279" "4368392").PN. OR ("4415312").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/05 10:21
S47	0	(416/Dig4).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/05 10:50
S48	167	(416/Dig.4).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/05 10:50
S49	167	(416/dig.4).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/05 17:27
S50	5	(416/dig.7).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/05 17:33
S51	38	"860930"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2009/05/06 08:50
S52	1	("4,115,032").PN.	US-PGPUB; USPAT	OR	OFF	2009/05/06 09:43
S53	1	("4,117,009").PN.	US-PGPUB; USPAT	OR	OFF	2009/05/06 09:45

S54	1	("4,994,684").PN.	US-PGPUB; USPAT	OR	OFF	2009/05/06 09:49
S55	1	("5,083,039").PN.	US-PGPUB; USPAT	OR	OFF	2009/05/06 09:55
S56	1	("4,715,782").PN.	US-PGPUB; USPAT	OR	OFF	2009/05/06 10:04
S57	1	("4,710,101").PN.	US-PGPUB; USPAT	OR	OFF	2009/05/06 10:06
S58	0	("2006140764").PN.	US-PGPUB; USPAT	OR	OFF	2009/05/06 10:25
S59	0	"2006140764"	US-PGPUB; USPAT	ADJ	ON	2009/05/06 10:25
S60	50	"140764"	US-PGPUB; USPAT	ADJ	ON	2009/05/06 10:25
S61	9	"140764" and "2006"	US-PGPUB; USPAT	ADJ	ON	2009/05/06 10:26
S62	5	wind turbine control and lidar wind speed measurement	US-PGPUB; USPAT	ADJ	ON	2009/05/06 10:26
S63	1	("4423333").PN.	US-PGPUB; USPAT	OR	OFF	2009/05/06 10:32
S64	1	("4355955").PN.	US-PGPUB; USPAT	OR	OFF	2009/05/06 14:06
S65	0	("0730,060").PN.	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/06 14:08
S68	192	("416".clas. or "290".clas.) and wind turbine and ((velocity or speed) with (setpoint or set\$point or set point or lower limit or prescribed or cut\$in or cutin or cut in))	US-PGPUB; USPAT	ADJ	ON	2009/05/06 14:22
S69	206	("416".clas. or "290".clas.) and wind turbine and ((velocity or speed) with (setpoint or set\$point or set point or lower limit or prescribed or cut\$in or cutin or cut in or cut out or cut\$out or cut out)) and control	US-PGPUB; USPAT	ADJ	ON	2009/05/06 14:47

5/ 7/ 2009 11:13:41 AM

C:\ Documents and Settings\ jprager\ My Documents\ EAST\ Workspaces
 \ 10594270_vertical_axis_wind_turbine_blade.wsp